



Submittal Data Sheet

1.5-Ton Wall Mounted Unit

FXAQ18PVJU

FEATURES

- Auto-swing mechanism ensures efficient air distribution via louvers that automatically close when the unit is turned off
- Easy to clean front panel with a flat smooth surface that can be removed for additional cleaning
- Five different airflow distribution angles programmable by the optional controller
- Condensate drain pipe can be installed on either the left or right side of the unit
- Wide air discharge outlet distributes a comfortable airflow throughout the entire space
- Standard Limited Warranty: 10-year warranty on compressor and all parts





Submittal Data Sheet

1.5-Ton Wall Mounted Unit

FXAQ18PVJU

PERFORMANCE

| | | | |
|----------------------------------|--------------|-------------------------------|---|
| Indoor Unit Model No. | FXAQ18PVJU | Indoor Unit Name: | 1.5-Ton Wall Mounted Unit |
| Type: | Wall Mounted | Rated Cooling Conditions: | Indoor (°F DB/WB): 80 / 67 Ambient (°F DB/WB): 95 / 75 |
| Rated Cooling Capacity (Btu/hr): | 18,000 | Rated Heating Conditions: | Indoor (°F DB/WB): 70 / 70 Ambient (°F DB/WB): 47 / 43 |
| Sensible Capacity (Btu/hr): | 13,700 | Rated Piping Length(ft): | |
| Cooling Input Power (kW): | 0.030 | Rated Height Separation (ft): | |
| Rated Heating Capacity (Btu/hr): | 20,000 | | |
| Heating Input Power (kW): | 0.04 | | |

INDOOR UNIT DETAILS

| | | | |
|---------------------------------------|-------------------------|--|-------------|
| Power Supply (V/Hz/Ph): | 208-230 / 60 / 1 | Airflow Rate (H/L) (CFM): | 500/400 |
| Power Supply Connections: | L1, L2, Ground | Moisture Removal (Gal/hr): | |
| Min. Circuit Amps MCA (A): | 0.50 | Gas Pipe Connection (inch): | 1/2 |
| Max Overcurrent Protection (MOP) (A): | | Liquid Pipe Connection (inch): | 1/4 |
| Dimensions (HxWxD) (in): | 11-3/8 x 41-3/8 x 9-1/4 | Condensate Connection (inch): | 11/16 |
| Panel (HxWxD) (in): | | Sound Pressure (H/L) (dBA): | 43/37 |
| Net Weight (lb): | 31 | Sound Power Level (dBA): | |
| Panel Weight (lb): | | Ext. Static Pressure (Rated/Max) (inWg): | 0.00 / 0.00 |

Submittal Data Sheet

1.5-Ton Wall Mounted Unit

FXAQ18PVJU

DIMENSIONAL DRAWING

