



## Submittal Data Sheet

2.0-Ton Ceiling Suspended Unit

FXHQ24MVJU

### FEATURES

- One of our slimmest indoor units (less than 8â€) fits any interior design
- Wide air discharge outlet distributes a comfortable airflow throughout the entire space
- Silent stream fan technology keeps sound pressure levels low
- Unit requires minimal installation space
- Standard Limited Warranty: 10-year warranty on compressor and all parts





**Submittal Data Sheet**  
2.0-Ton Ceiling Suspended Unit  
FXHQ24MVJU

PERFORMANCE

|                                  |                   |                               |   |
|----------------------------------|-------------------|-------------------------------|---|
| Indoor Unit Model No.            | FXHQ24MVJU        | Indoor Unit Name:             | 2.0-Ton Ceiling Suspended Unit                            |
| Type:                            | Ceiling Suspended | Rated Cooling Conditions:     | Indoor (°F DB/WB): 80 / 67<br>Ambient (°F DB/WB): 95 / 75 |
| Rated Cooling Capacity (Btu/hr): | 24,000            | Rated Heating Conditions:     | Indoor (°F DB/WB): 70 / 70<br>Ambient (°F DB/WB): 47 / 43 |
| Sensible Capacity (Btu/hr):      | 17,100            | Rated Piping Length(ft):      |   |
| Cooling Input Power (kW):        | 0.130             | Rated Height Separation (ft): |   |
| Rated Heating Capacity (Btu/hr): | 27,000            |                               |   |
| Heating Input Power (kW):        | 0.13              |                               |   |

INDOOR UNIT DETAILS

|                                       |                           |  |             |
|---------------------------------------|---------------------------|--|-------------|
| Power Supply (V/Hz/Ph):               | 208-230 / 60 / 1          | Airflow Rate (H/L) (CFM):                | 710/600     |
| Power Supply Connections:             | L1, L2, Ground            | Moisture Removal (Gal/hr):               |             |
| Min. Circuit Amps MCA (A):            | 1.00                      | Gas Pipe Connection (inch):              | 5/8         |
| Max Overcurrent Protection (MOP) (A): |                           | Liquid Pipe Connection (inch):           | 3/8         |
| Dimensions (HxWxD) (in):              | 7-11/16 x 55-1/8 x 26-3/4 | Condensate Connection (inch):            | 1           |
| Panel (HxWxD) (in):                   |                           | Sound Pressure (H/L) (dBA):              | 44/36       |
| Net Weight (lb):                      | 80                        | Sound Power Level (dBA):                 |             |
| Panel Weight (lb):                    |                           | Ext. Static Pressure (Rated/Max) (inWg): | 0.00 / 0.00 |

**Submittal Data Sheet**  
 2.0-Ton Ceiling Suspended Unit  
 FXHQ24MVJU

**DIMENSIONAL DRAWING**

FXHQ24MVJU  
 Unit (in.)

